



CYNTHIA A. HARDING, M.P.H.
Interim Director

JEFFREY D. GUNZENHAUSER, M.D., M.P.H.
Interim Health Officer

313 North Figueroa Street, Room 708
Los Angeles, California 90012
TEL (213) 240-8156 • FAX (213) 481-2739

www.publichealth.lacounty.gov



BOARD OF SUPERVISORS

Hilda L. Solis
First District

Mark Ridley-Thomas
Second District

Sheila Kuehl
Third District

Don Knabe
Fourth District

Michael D. Antonovich
Fifth District

March 7, 2016

TO: Each Supervisor

FROM: Cynthia A. Harding, M.P.H.

A handwritten signature in black ink, reading "Cynthia A. Harding".

Daryl L. Osby

A handwritten signature in black ink, reading "Daryl L. Osby".

SUBJECT: **ALISO CANYON STORAGE FACILITY GAS LEAK WEEKLY UPDATE**

On January 19, 2016, the Department of Public Health (DPH) and the Fire Department (LACoFD) submitted a memorandum on the natural gas leak at the Aliso Canyon Storage Facility and informed your Board that weekly updates would be provided on an ongoing basis. This is to provide the eighth written update from DPH and LACoFD, which is contained in Attachments 1 and 2. The Chief Executive Officer's recent report to your Board on Office of Emergency Management (OEM) activities supporting coordination and recovery efforts is provided in Attachment 3.

Attachment 1 provides a summary of findings and tables providing the data collected under the Expanded Air Monitoring Plan as of March 2, 2016. This current round of weekly monitoring reflects data gathered after the gas leak was sealed by SoCalGas on February 11, 2016. Within this current round of monitoring, methane levels have remained below the lower explosive limit, and benzene levels remain below both the short-term and chronic exposure limits. Throughout the community, air concentrations of sulfur odorants remain below the concentration able to be detected by instruments. Since the flow of gas was controlled on February 11, residents have been reporting to DPH that they no longer smell natural gas in the community.

DPH will continue to monitor the Porter Ranch area and analyze the data gathered under the Expanded Air Monitoring Plan for any unusual findings. If at any time DPH observes any data suggesting elevated exposures or health impacts, DPH will take the action necessary to protect public health. Further, DPH is developing a Community Indoor Air Monitoring Plan to determine whether natural gas has accumulated within previously vacated homes. DPH is currently working with multiple agencies to finalize the sampling protocol.

Each Supervisor

March 7, 2016

Page 2

Attachment 2 provides an update from LACoFD on recent activities supporting recovery efforts. These activities include participating in semi-weekly conference calls on air quality, reviewing air monitoring sample results from community monitoring, and analyzing related state and federal legislation under consideration. Additionally, LACoFD responded to a referral from the California Office of Emergency Services regarding a citizen's complaint of natural gas odors emanating from a manhole cover across from Aliso Canyon Park. An investigation was conducted and no methane emissions were detected.

DPH, OEM, and LACoFD continue to work closely together to ensure a coordinated and unified County response to the natural gas leak. The next weekly written update will be provided on March 7, 2016.

If you have any questions or need additional information, please let us know.

CAH

DLO

Attachments

c: Chief Executive Officer
County Counsel
Executive Officer, Board of Supervisors

**Los Angeles County Department of Public Health
Aliso Canyon Expanded Air Monitoring Effort
Weekly Update of March 7, 2016**

Background

The Los Angeles County Department of Public Health (DPH) continues to monitor outdoor air quality through the Expanded Air Monitoring Plan communities adjacent to the Aliso Canyon Storage Facility. This Plan is an ongoing effort of DPH, supported by multiple agencies engaged in air monitoring and data collection, including Los Angeles County Fire Department (LACFD), Southern California Gas (SCG), South Coast Air Quality Management District (AQMD), Los Angeles Unified School District (LAUSD), and California Air Resources Board (CARB). The flow of natural gas from the massive leak at the Aliso Canyon Storage Facility was stopped on February 11, 2016, and state agencies certified the well was plugged on February 18, 2016. Outdoor air monitoring will continue to be conducted until it is determined that air quality has been restored to normal for the region.

Attached Table 1 shows the most recent week's data, and Figure 1 illustrates peak concentrations of methane in outdoor air before and after well control. Tables 2-5 summarize 18 days of air monitoring results for samples collected after the flow of gas was stopped on February 11, as compared to samples collected before well control. This summary includes two types of samples being collected from three areas: Within the community, within the facility, and along the facility property line adjacent to the community.

10-Minute Grab Samples: These samples are currently taken daily from 11 locations within the Porter Ranch community and historically from 9 locations within the facility. Grab samples provide a snapshot of the chemical concentrations and more easily identifies peak levels.

12-Hour Integrated Samples: These samples are taken twice daily from six locations along the community/facility fence-line. They are collected from three locations within the facility (as of 1/12) and from three locations within the community (as of 1/29). This type of sample provides a complete picture of possible residential exposures to average chemical concentrations over the entire day.

Summary of Air Monitoring Results: Results show methane concentrations have decreased significantly following well control on Thursday 2/11.

Methane: Health protective levels for methane are based on the flammability limit. The most recent week (2/25-3/2) of methane results for grab samples collected in the community ranged from 2.0 parts per million (ppm) to 2.6 ppm. Following well control on 2/11, the 12-hour samples along the community/facility fence-line ranged from 1.5 ppm to 4.4 ppm; 12-hour samples from within the community ranged from 1.8 ppm to 3.4 ppm; and 12-hour samples within the facility ranged from 1.9 to 11 ppm. Following well control on 2/11, peak methane levels have decreased significantly (as shown in Figure 1). Since the beginning of the incident, community methane levels have been below the lower explosive limit of 50,000 ppm, and are not expected to cause any health effects. Recent methane levels measured in the community since the flow of gas stopped on 2/11 have remained below 5 ppm (an action level that would trigger potential investigation into other sources of methane). However, methane levels within the facility have been measured above 5 ppm since well control on 2/11; this suggests there may be other sources of methane impacting outdoor air quality at the facility.

Benzene: The most recent week (2/25-3/2) of benzene results for grab samples collected in the community ranged from 0.14 ppb to 0.93 ppb, which are below the Office of Environmental Health Hazard Assessment (OEHHA) acute short-term (1-hour) exposure limit of 8 ppb.

All grab sample measurements in the community to date have been below the OEHHA acute exposure limit of 8 ppb, and less than 1% of benzene levels measured within the facility perimeter have exceeded this limit.

Following well control on 2/11, benzene detected in the 12-hour samples along the community/facility fence-line ranged from 0.04 to 0.3 ppb; and 12-hour samples from within the community ranged from 0.05 to 0.3 ppb. These levels are consistent with the lower end of the range of background benzene for the Los Angeles Air Basin.

Sulfur Odorants: Throughout the community, air concentrations of sulfur odorants remain below the concentration able to be detected by instruments. Since the flow of gas was controlled on February 11, 2016 residents have been reporting that they no longer smell natural gas in the community.

Indoor Air Monitoring

DPH is developing a Community Indoor Air Monitoring Plan to determine whether natural gas has accumulated within previously vacated homes. DPH is currently working with AQMD, CARB, OEHHA, California Department of Public Health (CDPH), and the United States Environmental Protection Agency (USEPA) on the sampling protocol. DPH continues to investigate the need for additional environmental assessments.

Ongoing Assessments of Health

Some residents are continuing to report symptoms that they experienced during the leak upon returning home. These residents are being encouraged to seek the advice of their medical providers if they experience symptoms upon returning home. It is unclear whether these symptoms are related to environmental conditions within the Porter Ranch area. Therefore, DPH is conducting odor surveillance surveys and will soon be conducting door-to-door surveys with residents to further assess these health concerns.

Attachments

Figure 1	Daily Community Peak Methane Concentrations, February 1 - 29
Table 1	Daily Community Peak Concentrations for the Week (February 25-March 2)
Table 2	Summary of Community Peak Concentrations: Pre- and Post- Well Control
Table 3	Summary of 12-Hour Monitoring Within the Facility: Pre- and Post- Well Control
Table 4	Summary of 12-Hour Monitoring Along Community/Facility Fence-line: Pre- and Post-Well Control
Table 5	Summary of 12-Hour Monitoring Within the Community: Pre- and Post- Well Control

Figure 1. Daily Community Peak Methane Concentrations, February 1 – 29




Table 1. Daily Community Peak Concentrations for the Week (February 25 – March 2)

Chemical*	Thurs. 2/25	Fri. 2/26	Sat. 2/27	Sun. 2/28	Mon. 2/29	Tues. 3/1	Wed. 3/2	Units
Methane	2.4	2.4	2.3	2.0	2.1	2.6	2.4	ppm
Benzene	0.19	0.23	0.36	0.14	0.50	0.93	0.22	ppb
t-Butyl Mercaptan	ND	ND	ND	ND	ND	ND	ND	ppb
Tetrahydrothiophene	ND	ND	ND	ND	ND	ND	ND	ppb

ppm = parts per million; ppb = parts per billion; ND = non-detect

Table 2. Summary of Community Peak Concentrations: Pre- and Post-Well Control

Chemical*	Pre-/Post- Well Control**	Number Detected / Total Samples	% Detects	Community Range (Min – Max)	Units
Methane	Pre-	2018 / 2018	100%	0.2 - 231	ppm
	Post-	374 / 374	100%	1.7 - 5.3	ppm
Benzene	Pre-	965 / 2015	48%	0.05 - 5.6	ppb
	Post	242 / 374	67%	0.05 - 1.9	ppb
t-Butyl Mercaptan	Pre-	0 / 1939	0%	ND	ppb
	Post-	0 / 373	0%	ND	ppb
Tetrahydrothiophene	Pre-	0 / 1939	0%	ND	ppb
	Post-	0 / 373	0%	ND	ppb

ppm = parts per million; ppb = parts per billion; ND = non-detect

*Other volatile chemicals, hydrocarbons and sulfur compounds are being tested and will be reported in this table if detected above background levels.

**Well control stopped the flow of gas on February 11; “pre-well control” represents results for air samples collected between October 30 through February 11, and “post-well control” represents results for air samples from February 12 through February 29.

Table 3. Summary of 12-Hour Monitoring Within Facility: Pre- and Post-Well Control

Chemical*	Pre-/Post- Well Control**	Number Detected / Total Samples	% Detects	Aliso Canyon Facility Range	Los Angeles County Background Range	Units
Methane	Pre-	189 / 189	100%	2.5 - 720	1.8 - 2.1 [†]	ppm
	Post-	102 / 102	100%	1.9 - 11		ppm
Benzene	Pre-	189 / 189	100%	0.06 - 8.4	0.1 - 1.8 ^{††}	ppb
	Post	101 / 102	98%	0.05 - 0.65		ppb
t-Butyl Mercaptan	Pre-	0 / 189	0%	ND	NA	ppb
	Post-	0 / 102	0%	ND		ppb
Tetrahydrothiophene	Pre-	0 / 189	0%	ND	NA	ppb
	Post-	0 / 102	0%	ND		ppb

ppm = parts per million; ppb = parts per billion; ND = non-detect

*Other volatile chemicals, hydrocarbons and sulfur compounds are being tested and will be reported in this table if detected above background levels.

**Well control stopped the flow of gas on February 11; “pre-well control” represents results for air samples collected between October 30 through February 11, and “post-well control” represents results for air samples from February 12 through February 29.

[†]Hsu YK et al. 2010. Methane emissions inventory verification in southern California. Atmospheric Environment, 44:1-7.

^{††}MATES IV Study (South Coast Air Quality Management District) – range of 24-hour sample results for benzene across Los Angeles Air Basin.

Table 4. Summary of 12-Hour Monitoring Along Community/Facility Fence-line: Pre- and Post-Well Control

Chemical*	Pre-/Post-Well Control**	Number Detected / Total Samples	% Detects	Aliso Canyon Facility Range	Los Angeles County Background Range	Units
Methane	Pre-	376 / 376	100%	1.8 - 24	1.8 - 2.1 [†]	ppm
	Post-	202 / 202	100%	1.5 - 4.4		ppm
Benzene	Pre-	376 / 376	100%	0.1 - 0.4	0.1 - 1.8 ^{††}	ppb
	Post	201 / 202	99%	0.04 - 0.3		ppb
t-Butyl Mercaptan	Pre-	0 / 376	0%	ND	NA	ppb
	Post-	0 / 202	0%	ND	NA	ppb
Tetrahydrothiophene	Pre-	0 / 376	0%	ND	NA	ppb
	Post-	0 / 202	0%	ND	NA	ppb

ppm = parts per million; ppb = parts per billion; ND = non-detect

*Other volatile chemicals, hydrocarbons and sulfur compounds are being tested and will be reported in this table if detected above background levels.

**Well control stopped the flow of gas on February 11; “pre-well control” represents results for air samples collected between October 30 through February 11, and “post-well control” represents results for air samples from February 12 through February 29.

[†]Hsu YK et al. 2010. Methane emissions inventory verification in southern California. Atmospheric Environment, 44:1-7.

^{††}MATES IV Study (South Coast Air Quality Management District) – range of 24-hour sample results for benzene across Los Angeles Air Basin.

Table 5. Summary of 12-Hour Monitoring Within the Community: Pre- and Post-Well Control

Chemical*	Pre-/Post-Well Control**	Number Detected / Total Samples	% Detects	Aliso Canyon Facility Range	Los Angeles County Background Range	Units
Methane	Pre-	81 / 81	100%	1.6 - 8.4	1.8 - 2.1 [†]	ppm
	Post-	98 / 98	100%	1.8 - 3.4		ppm
Benzene	Pre-	81 / 81	100%	0.05 - 0.5	0.1 - 1.8 ^{††}	ppb
	Post	98 / 98	100%	0.05 - 0.3		ppb
t-Butyl Mercaptan	Pre-	0 / 81	0%	ND	NA	ppb
	Post-	0 / 99	0%	ND		ppb
Tetrahydrothiophene	Pre-	0 / 81	0%	ND	NA	ppb
	Post-	0 / 99	0%	ND		ppb

ppm = parts per million; ppb = parts per billion; ND = non-detect

*Other volatile chemicals, hydrocarbons and sulfur compounds are being tested and will be reported in this table if detected above background levels.

**Well control stopped the flow of gas on February 11; “pre-well control” represents results for air samples collected between October 30 through February 11, and “post-well control” represents results for air samples from February 12 through February 29.

[†]Hsu YK et al. 2010. Methane emissions inventory verification in southern California. Atmospheric Environment, 44:1-7.

^{††}MATES IV Study (South Coast Air Quality Management District) – range of 24-hour sample results for benzene across Los Angeles Air Basin.



COUNTY OF LOS ANGELES

FIRE DEPARTMENT

1320 NORTH EASTERN AVENUE
LOS ANGELES, CALIFORNIA 90063-3294

DARYL L. OSBY
FIRE CHIEF
FORESTER & FIRE WARDEN

March 7, 2016

TO: EACH SUPERVISOR

FROM: DARYL L. OSBY, FIRE CHIEF

ALISO CANYON UNIFIED COMMAND GAS LEAK-UPDATE

The purpose of this communiqué is to provide your Honorable Board with an update on the Aliso Canyon Gas Leak. To date, please find below the Fire Department's Health Hazardous Materials Division (HHMD) activities from last week at the Aliso Canyon SC Gas location:

- The Department of Public Health's Porter Ranch Indoor Air Monitoring and Analysis Plan has not been implemented and is awaiting input from Environmental Protection Agency. HHMD has previously provided input.
- HHMD continued to participate in semi-weekly Air Quality Conference Calls
- HHMD reviewed ongoing community air monitoring sample results.
- HHMD continues to analyze and track up to 14 different oil and gas legislative bills.
- HHMD responded to a referral from OES regarding a citizen's complaint of natural gas odors emanating from a manhole cover across from Aliso Canyon Park. No methane emissions were detected.

If you have any questions, please contact me at (323) 881-6180 or your staff may contact Chief Deputy David R. Richardson Jr., Emergency Operations at (323) 881-6178.

DLO:aat

c: Sachi Hamai
Mary Wickham
Jim Jones
Sheila Williams
Cynthia Harding
Jeffery Gunzenhauser
Jeff Reeb
Each Board Deputy

SERVING THE UNINCORPORATED AREAS OF LOS ANGELES COUNTY AND THE CITIES OF:

AGOURA HILLS
ARTESIA
AZUSA
BALDWIN PARK
BELL
BELL GARDENS
BELLFLOWER
BRADBURY

CALABASAS
CARSON
CERRITOS
CLAREMONT
COMMERCE
COVINA
CUDAHY

DIAMOND BAR
DUARTE
EL MONTE
GARDENA
GLEN DORA
HAWAIIAN GARDENS
HAWTHORNE

HIDDEN HILLS
HUNTINGTON PARK
INDUSTRY
INGLEWOOD
IRVINDALE
LA CANADA FLINTRIDGE
LA HABRA

LA MIRADA
LA PUENTE
LAKEWOOD
LANCASTER
LAWNDALE
LOMITA
LYNWOOD

MALIBU
MAYWOOD
NORWALK
PALMDALE
PALOS VERDES ESTATES
PARAMOUNT
PICO RIVERA

POMONA
RANCHO PALOS VERDES
ROLLING HILLS
ROLLING HILLS ESTATES
ROSEMEAD
SAN DIMAS
SANTA CLARITA

SIGNAL HILL
SOUTH EL MONTE
SOUTH GATE
TEMPLE CITY
WALNUT
WEST HOLLYWOOD
WESTLAKE VILLAGE
WHITTIER



County of Los Angeles CHIEF EXECUTIVE OFFICE

Kenneth Hahn Hall of Administration
500 West Temple Street, Room 713, Los Angeles, California 90012
(213) 974-1101
<http://ceo.lacounty.gov>

SACHI A. HAMAI
Chief Executive Officer

March 8, 2016

To: Supervisor Hilda L. Solis, Chair
Supervisor Mark Ridley-Thomas
Supervisor Sheila Kuehl
Supervisor Don Knabe
Supervisor Michael D. Antonovich

From: Sachi A. Hamai
Chief Executive Officer

Board of Supervisors
HILDA L. SOLIS
First District

MARK RIDLEY-THOMAS
Second District

SHEILA KUEHL
Third District

DON KNABE
Fourth District

MICHAEL D. ANTONOVICH
Fifth District

ALISO CANYON GAS LEAK RECOVERY UPDATE

On December 10, 2015, on a motion by Supervisor Solis, the Board declared a local state of emergency due to a leak at the natural gas storage wells at the Aliso Canyon gas storage fields. The well is sealed and the response phase of the incident has concluded. Presently, the re-occupation of the effected communities is underway with the incident in the recovery phase.

During this phase, our office continues to support the recovery process by coordinating the participation of City, County, State and Federal agencies in the Local Assistance Center (LAC) being operated by the City of Los Angeles. The LAC is projected to remain open through March 19, 2016.

As of February 27, 2016, 345 people have sought services at the LAC, with 244 of those seeking services from the four County departments participating there. See breakdown below. The LAC is located at the Mason Recreation Center, 10500 Mason Avenue, Chatsworth, CA 91311.

County Departments Participating at the LAC	Weekly Total
Consumers Affairs	22
Mental Health	46
Public Health	73
Assessor	103
Total Client Contacts	244

"To Enrich Lives Through Effective And Caring Service"

***Please Conserve Paper – This Document and Copies are Two-Sided
Intra-County Correspondence Sent Electronically Only***

In addition to the LAC, a Business Recovery Center is operating at 9207 Oakdale Avenue, Suite 200, Chatsworth, CA 91311. The Business Recovery Center published the statistics below on applications and loans.

STATISTICS (as of 8:00 am PST, February 29, 2016)

Applications	Applications Issued	Applications Received	Loans Approved	Dollars Approved
Home	0	0	0	\$0
Business/EIDL	30	8	2	\$38,300
TOTAL	30	8	2	\$38,300

According to the SBA, there is no timeframe for closure of the business center at this time. Also, as of March 1, 2016, the SBA provided the breakdown below of statistical numbers for the Los Angeles County U.S. Small Business Administration (SBA) Business Center located in Chatsworth:

- 45 contacts made
- 31 applications issued
- 9 applications received
- 2 loans approved

Additional recovery updates will be provided as warranted by events.

If you have any questions or require any additional information, please contact Jeff L. Reeb, Office of Emergency Management, at (323) 980-2261 or via email at jreeb@ceooem.lacounty.gov.

SAH:JJ:AC
JLR:LL:lac

c: Executive Office, Board of Supervisors
Assessor
County Counsel
Consumer Affairs
Fire
Mental Health
Public Health
Public Works
Sheriff